


SCALE: 1 1/2 -1'-0



SECTION A - A SCALE: HALF

* X=PIPE/PORT O.D. +.13

NOT FOR CONSTRUCTION

NOTE: 1: FLANGES WILL BE USED IN ULTRA HIGH VACUUM SERVICE SEE SPECIFICATION V049-2-040 FOR MATERIAL REQUIREMENTS 2: ALL MATERIAL TO BE 304L STAINLESS STEEL

- 3: FLANGES MUST BE PACKAGED, HANDLED, AND SHIPPED IN SUCH A MANNER AS TO MAINTAIN SPECIFIED SURFACE FINISHES AND FLATNESS TOLERANCES.
- 4: MACHINE TOOL LAY TO BE CONCENTRIC ON ALL SURFACES THAT REQUIRE A 32 RMS FINISH

 5: NO ABRASIVE STONES, CLOTHS OR GRINDING WHEELS MAY
- BE USED.
- 6: NO DIL BASED OR HYDROCARBON BASED CUTTING FLUIDS
- 7: NO CARBON STEEL OR OTHER SOURCE OF IRON CONTAMINATION ARE TO COME IN CONTACT WITH FLANGES DURING MANUFACTURING OR HANDLING.
- 8: STEAM CLEAN & WRAP IN POLYETHELENE TO PREVENT CONTAMINATION DURING SHIPPING.

Raymond D. Ciatto, 1º = 5/6/9 6 LIGO 0961110-00-V

UNLESS OTHERVISE SPECIFIED PROCESS SYSTEMS INTERNATIONAL INC. PROPRIETARY AND CONFIDENTIAL BIDCHSIDN ARE IN INCHES
TOLERANCES
FRACTIONAL 2 1/16
ANGALARMACH 20*-20* BEND 22*
TVD PFACE BEEDMA 2 880
TWISTED SIZE ACE BEEDMA 2 805
INSINES BIRFACE RISE
BEENG CERRENS INLOSS DUTIONS
RENOVE ALL BARRS THIS I CONTAINS PROPRIETARY
NET BELLOKING TO PROCESS
SYST MATERIAL, INC. OR ITS
AFFILIA...B EDPEANES AND SHALL BE
USED DOLY FOR THE PREPOSE FOR
WHICH IT VAS SUPPLIED. IT SHALL NOT
BE COPPIED, REPORDISCE ON OFTHERWISE
USED, NOW SHALL SUCH INFORMATION BE
FURNISHED IN WHILL OR IN PART TO
OTHERS CHECKE IN WHILE OR IN PART TO
OTHERS CHECKE IN WHILE OR IN PART TO
OTHERS CHECKE IN WHILE OR
WHITTON CONSIGN OF PROCESS SYSTEMS
INTERNATIONAL INC. AND SHALL BE
RETURNED UPON REDUCST. 48 1/4" I.D. FLANGE DETAIL (FLAT FACED) LIGO VACUUM EQUIPMENT NEG PV 5-1-96 0 ISSUED FOR FOR DO NOT SCALE THIS DVG. V049-4-029 0 DEO V0494029 CHKD DRAWN DATE USED DN REV. DESCRIPTION DWG. NO. DESCRIPTION SHEET 1 OF 1 NEXT ASSY ISSUE DESCRIPTION REFERENCE DRAWINGS

5

3

5