
THE SECOND GENERATION LIGO INTERFEROMETERS





Present and future limits to sensitivity

□ Facility limits


- Gravity gradients
- Residual gas
- (scattered light)
- Leaves lots of room for improvement

□ Advanced LIGO

- Seismic noise 40→10 Hz
- Thermal noise 1/15
- Shot noise 1/10, tunable


□ Beyond Adv LIGO

- Thermal noise: cooling of test masses
- Quantum noise: quantum non-demolition






Advanced Interferometer Concept



- » Signal recycling
- » 180-watt laser
- » Sapphire test masses
- » Quadruple suspensions
- » Active seismic isolation
- » Active thermal correction



Anatomy of Projected Performance





From Initial to Advanced LIGO


Parameter	LIGO I	LIGO II
Equivalent strain noise, minimum	3x10 ⁻²³ /rtHz	2x10 ⁻²⁴ /rtHz
Neutron star binary inspiral range	19 Mpc	285 Mpc
Stochastic backgnd sens.	3x10 ⁻⁶	1.5-8x10 ⁻⁹
Interferometer configuration	Power-recycled Michelson w/ FP arm cavities	LIGO I, plus signal recycling
Laser power at interferometer input	6 W	120 W
Test masses	Fused silica, 11 kg	Sapphire, 40 kg
Suspension system	Single pendulum, steel wires	Quad pendulum, silica fibers/ribbons
Seismic isolation system, type	Passive, 4-stage	Active, 2-stage
Seismic wall frequency	40 Hz	10 Hz


LIGO-G010200-00-D



Advances in Seismic Isolation

- □ Goal taken as 10⁻¹⁹ m/rtHz at 10 Hz
 - Corresponds to level of suspension thermal noise
 - Very close to gravity-gradient noise around 10 Hz
 - Ground noise attenuation of 10¹⁰ required
- □ Active seismic isolation
- 2 in-vacuum stages,
 each w/ sensors &
 actuators for 6 DOF
- provides ~1/3 of the required attenuation
- provides ~10³ reduction of rms at lower frequencies, crucial for controlling technical noise sources








Advances in Suspensions

Quadruple suspension:

- ~10⁷ attenuation @10 Hz
- Controls applied to upper layers;
 noise filtered from test masses

- □ Fused silica fiber
 - Welded to 'ears', hydroxycatalysis bonded to optic
- Seismic isolation and suspension together:
 - 10⁻²⁰ m/rtHz at 10 Hz
 - Factor of 10 margin





Advances in Thermal Noise

- Suspension thermal noise
 - ◆ Fused silica fibers, ~10⁴x lower loss than steel wire
 - Ribbon geometry more compliant along optical axis
- □ Internal thermal noise

Sapphire test masses:

- Much higher Q: 2e8 vs 2-3e6 for LIGO I silica
- BUT, higher thermoelastic damping (higher thermal conductivity and expansion coeff); can counter by increasing beam size
- Requires development in size, homogeneity, absorption

Fused silica test masses:


- Intrinsic Q can be much higher: ~5e7 (avoid lossy attachments)
- Low absorption and inhomogeneity, but expensive

Both materials: mechanical loss from polishing and dielectric coatings must be studied and controlled



Advances in Sensing

- □ Input laser power: 120 W
 - Incremental progress in laser technology
 - Thermal management in the interferometer become a big issue!
- Optimizing interferometer response



NATURE OF OPTICAL NOISE

- ☐ Standard Quantum Limit:
 - ➤ 'A 20 year misunderstanding', K Thorne
 - \blacktriangleright $\Delta x \cdot \Delta p \ge \hbar$ naively applied to test mass position
- ☐ Output of interferometer: <a href="shot noise & shot n

$$\rightarrow x_{\text{OUT}} = x_{\text{FREE}} + x_{\text{SH}} + x_{\text{RP}}$$

shot noise & radiation pressure of the light source

SH & RP arise from the same vacuum fluctuations (Caves '81)

-X

> commutes with itself at different times!

$$[x_{O}^{0}, x_{O}^{\tau}] = [x_{F}^{0}, x_{F}^{\tau}] + [x_{SH}^{0}, x_{RP}^{\tau}] + [x_{RP}^{0}, x_{SH}^{\tau}] = 0$$

State reduction has no influence on the LIGO data!

[Braginsky, Gorodetsky, Khalili, Matsko, Vyatchanin & Thorne, in prep.; Kimble, Levin, Matsko, Vyatchanin, Thorne gr-gc/0008026; Buonanno & Chen gr-gx/0010011]

NATURE OF OPTICAL NOISE

$$\Box x_{OUT} = x_{FREE} + x_{SH} + x_{RP} \longrightarrow$$
 noise spectral density:

$$S_x = S_F + S_{SH} + S_{RP} + S_{SH,RP} + S_{RP,SH}$$
 noise in $x_F = x_0 + (p_0/m)\tau$ is at low frequency, not part of data cross-spectra: correlations vanish semiclassically; none quantum mechanical


cross-spectra: correlations vanish semiclassically; nonzero quantum mechanically

correlations between the vacuum fluctuations are introduced by the signal recycling mirror

In absence of correlations:


$$S_{\text{SH}} + S_{\text{RP}} \ge \text{SQL}$$

The correlations enable SQL to be beat, but can worse noise elsewhere






Response functions






A Narrowband Interferometer



Example tuning curves for a fixed transmission signal recycling mirror




Source Detection: from Initial Interferometers to Advanced





Black Hole / Black Hole Inspiral and Merger



Event rates

 Based on population synthesis [Kalogera's summary of literature]

Strain h(f), Hz


■ Initial IFOs

- Range: 100 Mpc
- $\leq 1/300$ yrs to $\sim 1/y$ r

Advanced IFOs -

• Range: z=0.4

• ≤2/month to ~10/day



SUMMARY

- ☐ Goal: quantum-noise-limited interferometer
 - nearly so (thermal noise not completely beaten)
 - SQL should be forgotten!
- □ Advanced LIGO interferometers: 15x increase in sensitivity over initial LIGO
 - First 2-3 hours of Advanced LIGO is equivalent to initial LIGO's 1 year science run!
- □ Now being designed by the LIGO Scientific Collaboration (~25 institutions)
 - major design challenges: sapphire development, operation at high power (thermal compensation), mirror coatings
 - begin installation: 2006
 - begin data run: 2008