



### Summary of LCGT


- It is a 3km Fabry-Perot MI with a power recycling scheme and equipped with a broadband RSE.
  The laser power is 150W
- Main mirrors made of sapphire are cooled at 20K. A SPI impedes the refrigerator- vibration.
- It is built underground in Kamioka.
- Two independent interferometers are installed in the vacuum system.
- The main target is the coalescence of BNS, which can be detected 1.2-27.8 events per year at confidence level of 95% for mass 1.4Msun and S/N=10.

### Expected sources of LCGT (1)






### Expected sources of LCGT (2)




LCGT contributes the international observation by the coverage of a complimentary sky to other detectors:


LCGT, grey scale, LIGO (Hanford), green contour curves.




LIGO-G050412-00-Z



Sensitivity is limited only by quantum noises around at observational frequency band.




# Technical foundation of LCGT is established by a prototype and an intermediate size interferometer with challenging techniques




LIGO-G050412-00-Z

(CALTECH)

Why do we go underground? In Kamioka low frequency noise is less than Mitaka by 30 times.




When the 2 0 m interferometer was moved from Mitaka to Kamioka mine, the noise at 100Hz was decreased by 4 orders and the spectrum limit by the anti-vibration system was achieved at frequencies less than 100Hz.




Cooling test

Cryogenic mirror was established by several basic experiments.



## Suspension prototype was tested in Kashiwa campus in ICRR, in 2001.


Fabry-Perot cavity was locked at cryogenic temperature and requirements on refrigerator were studied.



This result makes us to develop quieter refrigerator and softer heat link design.

### Quiet refrigerator was developed (design in 2003)

F-6: Class. Quantum Grav. (Accepted), Pr-1: Proc. 28th ICRC (2003), patent: Pa-3 Tomaru et al., 2003; Suzuki et al., 2003.




# Large heat production is avoided by RSE


- Broad band RSE is applied.
- Power recycling gain is set 11.
- Finesse of the cavity is 1550, which means that observational band becomes to be lower than required.
- RSE keeps the frequency band unchanged.

## Refrigerator noise is avoided by SPI

Test mass of LCGT is connected to a cooling system by a heat link that introduces mechanical noise. A suspension point interferometer (SPI) is introduced to maintain high attenuation of seismic and mechanical noise without degrading high heat conductivity.



LIGO-G050412-00-Z



## Schedule and Budget

112 JpnYen=1 US\$


Item	2006	2007	2008	2009	2010	2011	2012	Cost (Thousand Yen)
Tunnel	=>	$\Rightarrow$	$\Rightarrow$					3,396,000
Buildings		$\Rightarrow$	$\Rightarrow$					500,000
Vacuum		$\longrightarrow$	$\rightarrow \Rightarrow$	$\Rightarrow$				5,250,000
Optics		$\longrightarrow$		$\rightarrow \Rightarrow$	$\Rightarrow$			925,420
Laser	<del></del>	$\longrightarrow$		$\Rightarrow$				802,780
Cryo-Suspension	<del></del>	$\longrightarrow$	<del></del>	$\Rightarrow$				2,630,000
Anti-vibration		$\longrightarrow$		$\Rightarrow$				230,000
Main Mirror	$\longrightarrow$	$\longrightarrow$	$\longrightarrow$	$\longrightarrow$	⇒Install			300,000
Data-taking	10			$\longrightarrow$	⇒Install			200,000
Observation				1.00		<b>=⇒</b>	=>	600,000
							Total	14,834,2000

US\$ 132M

It does not include salaries & maintenances of facilities.

LIGO-G050412-00-Z

#### LCGT Organization



### International Collaborations

- Succeeding almost all MOUs exchanged under the name of TAMA
  - LIGO (GEO)
  - VIRGO
  - ROG, AURIGA, TWG
- Maintaining MOU with ACIGA
  - Laser, Cryogenic sapphire, etc.
- Initiating a new collaborative work
  - high quality sapphire

# Proposal of collaborative research with the LIGO sapphire group

- Exchange of scientific and/or technical information of sapphire development
  - Accumulated knowledge of sapphire in LIGO
  - Need of high quality sapphire in LCGT
- Application of annealing to sapphire samples
  - 1<sup>st</sup> step (reconfirmation of the effect, this year)
  - 2<sup>nd</sup> step (application to larger size, next year)

## Closing this talk

- Budget asking for FY2006 is ongoing in collaboration with ERI (geophysical strain meter project).
- Usually, this August is the most important in the decision making by the government.
  - Congress dissolved. Ministry renewed in this September. Determination process may delay.
- We have another chance in the next year even if disapproved.