



Developing a Kelvin Probe for Measuring Surface Charge on LIGO Optics

Dennis Ugolini, Robert McKinney Trinity University March LSC Meeting March 22, 2006







- Surface charge may build up on test masses
- Sources of charge buildup
 - » Friction with dust molecules during pumpdown
 - » Mechanical contact with conductors (earthquake stops)
 - » Cosmic rays (Moscow State group)
- Potential concerns
 - » Fluctuating electric fields can interfere with positioning control
 - » Source of low-frequency suspension noise
 - » Dust may be attracted/held to optic surface, increasing absorption







What we know:

- Optics experience drifts of ~10⁵ e⁻/cm²/month
 - » Mitrofanov et al., Phys. Lett. A300, 370 (2002).
- Negligible effects on mechanical Q
 - » Mortonson et al., Rev. Sci. Inst. 74, 4840 (2003).

What we don't know:

The correlation time for charge mobility, which affects force as:

$$F^{2}(f) \approx \frac{2\langle F^{2} \rangle}{\pi \tau_{0} (2\pi f)^{2}}$$
 (R. Weiss, LIGO-T960137-00-E)

- The effectiveness of charge reduction techniques
 - » Slightly conducting ionic coating
 - » Shield test mass with conductors to terminate electric fields
 - » UV light (next talk)




The Kelvin Probe



- The Kelvin probe measures the contact potential difference between the probe and sample
- Commercial probes modulate the difference by vibrating the probe tip by PZT or voice coil -- expensive
- Instead modulate difference with optical "tuning-fork" chopper









Experimental Setup








- Calibrate with conducting sample
- Charge insulator, measure change over time
- Repeat calibration in vacuum
- Use XY stage to scan sample, measure charge vs. position

Probe system is then available as testbed for optical material, charge reduction techniques




Kelvin Probe Version 1






Grounding ring too large, coil on chopper prevented the probe from getting closer than 1 cm.





Kelvin Probe Version 2








Kelvin Probe Version 3





Chopper coil noise reduced by:

- Adding grounding ring
- Isolating chopper power supply
- Wrapping grounded aluminum foil around probe leads
- Encasing chopper in grounded aluminum box


Noise peak reduced to 0.1 mV



Observations




- Cannot see signal from conducting sample, with voltage varied from 0 – 15V.
- Plexiglass sample rubbed with felt/wig/Allen wrench gives 1-3 mV signal (10-30 times larger than noise).
- Signal shows exponential decay, rate varies greatly from day to day.





Charge Decay Over Time TRI













- Use electrostatic voltmeter to check insulating sample potential, calibrate
- Improved shielding, grounding to reduce noise peak
- Better chopper (drive freq. different than signal freq. – rotary?)
- Place in vacuum