REV. DATE DCN# DRAWING TREE # NOTES CONTINUED: (5) SCRIBE, ENGRAVE (A VIBRATORY TOOL MAY BE USED), LASER MARK OR MECHANICALLY STAMP (NO INKS OR DYES) DRAWING PART NUMBER, REVISION (AND VARIANT OR "TYPE" IF APPLICABLE) 10. ALL HELT-COIL INSERTS TO BE INSTALLED BY LIGO PERSONNEL,
AFTER DELIVERY OF FINISHED PARTS, USE NITRONIC 60 THREADED INSERTS. 11. ALL MATERIAL IS TO BE VIRGIN MATERIAL (i.e. NO WELD REPAIRS, PLUGS OR RECYCLED MATERIAL). NO REPAIRS SHALL BE MADE UNLESS APPROVED IN ADVANCE, AND IN WRITING, BY LIGO LABORATORY. ON NOTED SURFACE OF PART FOLLOWED ON THE NEXT LINE WITH A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS START AT 001 FOR THE FIRST ARTICLE AND PROCEED CONSECUTIVELY. USE MINIMUM 0.12" HIGH CHARACTERS, UNLESS THE SIZE OF THE PART DICTATES SMALLER CHARACTERS. 12. SURFACE FINISH TO BE AS-PROCESSED FROM MILL/SUPPLIER, FREE FROM SCRATCHES OR GOUGES. EXAMPLE: DXXXXXXX-VY, TYPE-XX, S/N XXX 13. PART WILL BE PORCELAIN COATED PER LIGO SPECIFICATION E-1000083" AFTER FABRICATION: THE INDICATED HOLES WILL BE MASKED PRIOR TO PORCELAIN COALING TO APPROXIMATELY 2:5-3X HOLE DIAMETER GENTERED ON BOTH SIDES OF THE HOLE. . APPROXIMATE WEIGHT = X.XXX LB. MACHINE ALL SURFACES TO REMOVE OXIDES AND MILL FINISH, USE OF ABRASIVE REMOVAL TECHNIQUES IS NOT ALLOWED. REFER TO LIGO-E0900364 14. DIMENSIONS APPLY BEFORE PORCELAIN COATING UNLESS SPECIFIED. ALL PARTS SHALL BE MANUFACTURED IN ACCORDANCE WITH LIGO SPECIFICATION E0900364. 15. BEND RADIUS: UNLESS OTHERWISE NOTED, THE BEND RADIUS SHOULD BE IHE MINIMUM REQUIRED TO FORM WITHOUT CRACKING OR RECHIRING ADDITIONAL WORK WHEN FORMING. IN PARTICULAR SHEET METAL IS TO BE PORCELAIN COATED, THE BEND RADIUS SHALL BE A MINIMUM OF .12" OUTSIDE RADIUS OF BEND UNLESS 9. ALL HELF-COIL HOLES TO BE PREPARED ACCORDING TO EMHART HELF-COIL PRODUCT CATALOG, HC2000, REV 4. NOTES 9, 10, 13, 14 and 15 DO NOT APPLY TO THIS PART 0 0 2.375in [60.33mm] R.050in 2.084in 1.27mm 52.92mm .050in [1.27mm] R.050in [1.27mm] -ALUMINA 1.000in 1.000in [25.40mm] 25.40mm 1.709in 2.000in 45.000 \oplus [43.40mm] [50.80mm] 1.000in 25.40mm .6875in .6875in [17.46mm] [17.46mm] \emptyset .257in [6.53mm] THRU **x2 LOCATIONS** NOTES AND TOLERANCES: (UNLESS OTHERWISE SPECIFIED) LIGO CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY LSC IN-AIR ENCLOSURE - ALUMINA SPACER v1 1. INTERPRET DRAWING PER ASME Y14.5-1994. 2. REMOVE ALL SHARP EDGES, .005-.015. FOR MACHINED PARTS. ROUND DIMENSIONS ARE IN ALL EDGES APPROXIMATLEY R.02 FOR SHEET METAL PARTS. SYSTEM SUB-SYSTEM TOLERANCES: .XX ± .XXX ± DESIGNER R. ABBOTT JAN/25/2012 SIZE DWG. NO. REV. 3. DO NOT SCALE FROM DRAWING. 4. ALL MACHINING FLUIDS MUST BE FULLY SYNTHETIC, FULLY WATER SULFUR, SILICONE, AND CHLORINE. ISC DRAFTER E. BROWN JAN/25/2012 NEXT ASSY CHECKER ANGULAR±° Material <not specified> μinch APPROVAL PROJECTION: SHEET 1 OF 1 SCALE: 1:1