




REV.	DATE	DCN #	DRAWING TREE #
A	FEB 17th 2006	E060057-00	E060059-A



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. REMOVE ALL SHARP EDGES, R.02 MAX.
 2. DO NOT SCALE FROM DRAWING.
 3. ALL MACHINING FLUIDS SHALL BE WATER SOLUBLE AND FREE OF SULFUR, CHLORINE AND SILICONE, SUCH AS CINCINNATI MILACRON'S CIMTECH 410 (STAINLESS STEEL)
 4. SYMMETRICAL ABOUT ϕ .
- ⑤ SCRIBE, ENGRAVE OR STAMP DRAWING PART NUMBER ON NOTED SURFACE OF PART AND THEN A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS START AT 001 FOR THE FIRST PART AND PROCEED CONSECUTIVELY. USE .07" HIGH CHARACTERS. EXAMPLE: D020188- 001. A VIBRATORY TOOL MAY BE USED.
- REF: LOWER WIRE HAS ϕ .018" [.45mm]
REF: DESIGNED BY C TORRIE & M P-LLOYD.

DIMENSIONS ARE IN INCHES

TOLERANCES:
.XX ± 0.01
.XXX ± 0.005

ANGULAR ± 0.5 °

MATERIAL
303/304 SSTL

FINISH
32 μ inch

	NAME	DATE
DRAWN	M P-Lloyd	27JAN04
CHECKED	C Torrie	28JAN04
APPROVED		



SYSTEM ADVANCED LIGO

SUB-SYSTEM SUS

NEXT ASSY ETM C_PTYPE, D040043

PART NAME WIRE BREAK OFF PLATE

SCALE A **DWG. NO.** D040044 **REV.** A

SCALE: NTS **PROJECTION:** **SHEET 1 OF 1**