

# INSTALLATION DRAWING LIST

| REV.   | DWG. NUMBER | TITLE   | REV.                                     | DWG. NUMBER | TITLE  | REV. | DWG. NUMBER | TITLE  | REV.   | DWG. NUMBER | TITLE  |
|--|-------------|---|--|-------------|--|------|-------------|--|--|-------------|--|
| <b>P&amp;ID'S</b>                            |             |   |  |             |  |      |             |  |  |             |  |
| 2  | V049-0-001  | LEGEND/STATION DIAGRAMS (3 SHTS.)                 | 0  | V049-2-110  | PORTABLE SOFT WALL CLEANROOMS                      | 0    | V049-4-091  | 80K PUMP RESERVOIR-SHORT LEFT (3 SHTS.)            | 4  | V049-5-012  | PIPING ARR'T, PLAN CORNER STA. WA (4 SHTS.)          |
| 2  | V049-0-002  | BEAM SPLITTER CHAMBER ALL BUT CORNER VERTEX ARMS  | 0  | V049-2-111  | SMALL VALVES                                       | 1    | V049-4-092  | 80K PUMP RESERVOIR-LONG LEFT (3 SHTS.)             | 3  | V049-5-013  | PIPING ARR'T, ELEVATION, CORNER STA. WA              |
| 3  | V049-0-003  | BEAM SPLITTER CHAMBER CORNER VERTEX ARMS          | 0  | V049-2-112  | BAKEOUT SYSTEM BLANKETS AND CARTS                  | 0    | V049-4-093  | 80K PUMP RESERVOIR-LONG RIGHT (3 SHTS.)            | 4  | V049-5-014  | PIPING ARR'T, SECTIONS, CORNER STA. WA               |
| 3  | V049-0-004  | HORIZONTAL ACCESS MODULE                          | <b>SYSTEM ACCEPTANCE TEST PROCEDURES</b> |             |  | 2    | V049-4-094  | 80K PUMP RESERVOIR SUPPT, ASSY, SHORT (2 SHTS.)    | 3  | V049-5-017  | PIPING ARR'T, PLAN, RIGHT MID STA. WA (4 SHTS.)      |
| 2  | V049-0-005  | 112cm & 122cm GATE VALVES                         | 1  | V049-2-113  | CORNER STATIONS                                    | 1    | V049-4-095  | 80K PUMP RESERVOIR SUPPT, ASSY, LONG (2 SHTS.)     | 3  | V049-5-018  | PIPING ARR'T, ELEVATION, RIGHT MID STA. WA (2 SHTS.) |
| 6  | V049-0-006  | 80K CRYOPUMP                                      | 1  | V049-2-114  | MID STATIONS                                       | 1    | V049-4-096  | 72 1/4" ID FLANGE DETAIL (GROOVED)                 | 3  | V049-5-019  | PIPING ARR'T, SECTIONS, RIGHT MID STA. WA            |
| 1  | V049-0-007  | CHAMBER PRESSURIZATION SYSTEM                     | 1  | V049-2-115  | END STATIONS                                       | 2    | V049-4-097  | 60 1/2" ID FLANGE DETAIL (FLAT FACED)              | 3  | V049-5-021  | PIPING ARR'T, RIGHT END STA. WA (2 SHTS.)            |
| 5  | V049-0-010  | WA LEFT END STATION                               | <b>ELECTRICAL DRAWINGS</b>               |             |  | 0    | V049-4-098  | 60 1/2" ID FLANGE DETAIL (FLAT/SLOTTED)            | 3  | V049-5-022  | PIPING ARR'T, ELEVATION, RIGHT END STA. WA           |
| 5  | V049-0-011  | WA LEFT MID STATION                               | 4  | V049-3-001  | ELECTRICAL DRAWING LIST (2 SHTS.)                  | 1    | V049-4-099  | 72 1/4" ID FLANGE DETAIL (FLAT/SLOTTED)            | 3  | V049-5-023  | PIPING ARR'T, SECTIONS, RIGHT END STA. WA            |
| 5  | V049-0-012  | WA LEFT BEAM MANIFOLD                             | <b>MECHANICAL DRAWINGS</b>               |             |  | 1    | V049-4-101  | BSC OVERALL ASSY.                                  | 3  | V049-5-026  | PIPING ARR'T, PLAN, LEFT END STA. WA (4 SHTS.)       |
| 5  | V049-0-013  | WA VERTEX SECTION                                 | 4  | V049-4-002  | HORIZONTAL ACCESS MODULE (HAM)                     | 2    | V049-4-102  | 25 L/S ANNULUS TUBING-44" G.V. TYPE III            | 3  | V049-5-027  | PIPING ARR'T, ELEVATION, LEFT MID STA. WA (2 SHTS.)  |
| 5  | V049-0-014  | WA DIAGONAL SECTION                               | 3  | V049-4-003  | BSC SHELL WELDMENT/MACHINING (4 SHEETS)            | 1    | V049-4-103  | 25 L/S ANNULUS TUBING 48" G.V. TYPE I              | 3  | V049-5-028  | PIPING ARR'T, SECTIONS, LEFT MID STA. WA             |
| 5  | V049-0-015  | WA RIGHT BEAM MANIFOLD                            | 3  | V049-4-004  | 80K CRYOPUMP, LONG LEFT HAND (2 SHEETS)            | 1    | V049-4-104  | 25 L/S ANNULUS TUBING 48" G.V. TYPE II             | 3  | V049-5-030  | PIPING ARR'T, PLAN, LEFT END STA. WA (2 SHTS.)       |
| 5  | V049-0-016  | WA RIGHT MID STATION                              | 3  | V049-4-005  | 80K CRYOPUMP, SHORT RIGHT (2 SHEETS)               | 3    | V049-4-109  | ANNULUS TUBING & ION PUMP ASSY. 44" G.V.           | 3  | V049-5-031  | PIPING ARR'T, ELEVATION, LEFT END STA. WA            |
| 5  | V049-0-017  | WA RIGHT END STATION                              | 3  | V049-4-006  | 80K CRYOPUMP, LONG RIGHT HAND (2 SHEETS)           | 3    | V049-4-110  | 80K LONG-SHIELD ASSY. RH/LH (3 SHTS.)              | 3  | V049-5-032  | PIPING ARR'T, SECTIONS, LEFT END STA. WA             |
| 2  | V049-0-018  | WA CORNER STATION MECHANICAL ROOM                 | 3  | V049-4-007  | 80K CRYOPUMP, SHORT LEFT HAND (2 SHEETS)           | 3    | V049-4-111  | 80K SHORT-SHIELD ASSY. RH/LH (3 SHTS.)             | 0  | V049-5-033  | OVERALL FLANGE ARR'T, CORNER STA. WA                 |
| <b>DRAWING TREE/BOM STRUCTURE</b>            |             |   |  |             |  |      |             |  |  |             |  |
| 0  | V049-0-100  | GENERAL PROJECT (SHT. 1 OF 3)                     | 2  | V049-4-008  | 80K CRYOPUMP, LONG RIGHT HAND (2 SHEETS)           | 3    | V049-4-112  | 80K LONG-VERTICAL WELDMENT LH (2 SHTS.)            | 0  | V049-5-035  | OVERALL FLANGE ARR'T, MID STA. WA                    |
| 0  | V049-0-100  | WASHINGTON SITE (SHT. 2 OF 3)                     | 2  | V049-4-009  | 80K CRYOPUMP, SHORT LEFT HAND (2 SHEETS)           | 2    | V049-4-113  | 80K LONG-VESSEL WELDMENT RH (2 SHTS.)              | 0  | V049-5-036  | OVERALL FLANGE ARR'T, TYPICAL END STA. WA & LA       |
| 0  | V049-0-100  | LOUISIANA SITE (SHT. 3 OF 3)                      | 3  | V049-4-010  | ROUGHING PUMP CART ARRANGEMENTS                    | 2    | V049-4-114  | 80K SHORT-VESSEL WELDMENT LH (2 SHTS.)             | 0  | V049-5-037  | CLEAN ROOM WITH BSC ASSY.                            |
| <b>APPLICABLE SPECIFICATIONS</b>             |             |   |  |             |  |      |             |  |  |             |  |
| 0  | V049-1-101  | ANCHOR BOLT INSTALLATION PROCEDURE                | 3  | V049-4-011  | TURBO PUMP CART ARRANGEMENTS                       | 3    | V049-4-115  | 80K SHORT-VESSEL WELDMENT RH (2 SHTS.)             | 0  | V049-5-050  | SURVEY-BENCHMARKS-CORNER STA. WA                     |
| 2  | V049-2-014  | LEAK CHECK PROCEDURE                              | 1  | V049-4-012  | BASE EXTENSION-TURBO PUMP CART                     | 1    | V049-4-116  | 75L ION PUMP SUPPORT                               | 0  | V049-5-051  | SURVEY-BENCHMARKS- MID STA. WA & LA                  |
| 2  | V049-2-015  | CLEANING PROCEDURE                                | 4  | V049-4-014  | COVER, BSC TYPE I                                  | 1    | V049-4-117  | HAM 75L ION PUMP SUPPORT                           | 0  | V049-5-052  | SURVEY-BENCHMARKS-END STA. WA & LA                   |
| 2  | V049-2-021  | INSTALLATION/COMMISSIONING SPEC.                  | 3  | V049-4-017  | 44 1/4" I.D. FLANGE DETAIL (GROOVED)               | 0    | V049-4-123  | BELLOWS 1" DIA. TIE-ROD ASSY.                      | <b>PSI ADAPTER &amp; SPOOL DETAIL DRAWINGS</b> |             |  |
| 1  | V049-2-022  | ELECTRICAL AND INSTRUMENT CONSTRUCTION SPEC.      | 2  | V049-4-018  | 48 1/4" I.D. FLANGE DETAIL (GROOVED)               | 3    | V049-4-127  | 84 1/4" ID ACCESS COVER-HAM                        | 3  | V049-4-A1   | ADAPTER  |
| 1  | V049-2-023  | PROJECT SAFETY PLAN                               | 4  | V049-4-019  | 60 1/2" I.D. BSC FLANGE DETAIL (GROOVED)           | 3    | V049-4-128  | HAM SHELL WELDMENT ASSY. 'D' (3 SHTS.)             | 3  | V049-4-A3   | ADAPTER  |
| 1  | V049-2-029  | PROJECT Q.A. PLAN                                 | 2  | V049-4-020  | 72 1/4" I.D. FLANGE DETAIL (GROOVED)               | 0    | V049-4-129  | HAM ANNULUS FLEX HOSE                              | 3  | V049-4-A6   | ADAPTER  |
| 5  | V049-2-037  | PIPING DESIGN AND MATERIAL SPECIFICATION          | 3  | V049-4-021  | 84 1/4" I.D. FLANGE DETAIL (GROOVED)               | 1    | V049-4-132  | 44 5/8" ID FLANGE DETAIL (GROOVED)                 | 3  | V049-4-A7A  | ADAPTER  |
| 0  | V049-2-070  | WELDING PROCEDURES                                | 5  | V049-4-022  | 104 1/2" I.D. FLANGE DETAIL (GROOVED)              | 3    | V049-4-133  | BSC CLEAN ROOM ASSY-STYLE 1 & 3                    | 2  | V049-4-A7B  | ADAPTER  |
| 2  | V049-2-071  |   | 4  | V049-4-023  | BSC SUPPORT ASSY.                                  | 3    | V049-4-134  | BSC CLEAN ROOM WELDMENT STYLE 1 & 3                | 3  | V049-4-A12  | ADAPTER  |
| 2  | V049-2-072  |   | 4  | V049-4-025  | BSC ANNULUS PIPING                                 | 2    | V049-4-135  | BSC CLEAN ROOM ASSY.                               | 3  | V049-4-A13  | ADAPTER  |
| 0  | V049-2-073  |   | 1  | V049-4-028  | 72 1/4" I.D. FLANGE DETAIL (FLAT FACED)            | 1    | V049-4-136  | CLEAN ROOM ASSY.- HAM                              | 3  | V049-4-A14  | ADAPTER  |
| 0  | V049-2-074  | MATERIAL/WELDING REPAIR SCHEDULE                  | 1  | V049-4-029  | 48 1/4" I.D. FLANGE DETAIL (FLAT FACED)            | 1    | V049-4-137  | CLEAN ROOM STRUCTURE WELDMENT - HAM                | 4  | V049-4-A15  | ADAPTER  |
| 0  | V049-2-116  | ISOLATABLE SECTION BAKEOUT PROCEDURE              | 5  | V049-4-031  | 60 1/2" I.D. HAM FLANGE DETAIL (GROOVED/SLOTTED)   | 2    | V049-4-138  | BSC CLEAN ROOM WELDMENT                            | 3  | V049-4-BE2  | SPOOL  |
| 0  | V049-2-018  | CLEAN ROOM ACTIVITIES                             | 3  | V049-4-032  | 60 1/2" I.D. HAM FLANGE DETAIL (FLAT FACED)        | 0    | V049-4-140  | 80K LONG-LEG ASSY.                                 | 4  | V049-4-BE3  | SPOOL  |
| 1  | V049-2-119  | CONTAMINATION CONTROL PLAN                        | 1  | V049-4-033  | 44" GATE VALVE SUPPORT FRAME                       | 0    | V049-4-141  | 80K SHORT-LEG ASSY.                                | 5  | V049-4-BE3A | SPOOL  |
| 0  | V049-2-120  | RAW MATERIAL HANDLING PROCEDURE                   | 1  | V049-4-034  | 48" GATE VALVE SUPPORT FRAME                       | 2    | V049-4-142  | 16 1/2" OD CONFLAT REDUCING FLANGES                | 3  | V049-4-BE4  | SPOOL  |
| 0  | V049-2-124  | CONTROL OF NON-CONFORMANCE                        | 1  | V049-4-036  | BSC INTERNAL PLATFORM DETAILS                      | 0    | V049-4-144  | 60 1/2" ID FLANGE DETAIL BE-3A (FLAT FACED)        | 5  | V049-4-BE5  | SPOOL  |
| 1  | V049-2-128  | VISUAL INSPECTION PROCEDURE                       | 3  | V049-4-040  | HAM TIE ROD ASSY.                                  | 0    | V049-4-145  | LN2 TANK BASE TEMPLATE                             | 5  | V049-4-BE6  | SPOOL  |
| 0  | V049-2-130  | BLACK LIGHT TEST PROCEDURE                        | 2  | V049-4-041  | 104 1/2" I.D. FLANGE DETAIL (FLAT FACED)           | 1    | V049-4-146  | 80K HEAD/NOZZLE ASSY.                              | 4  | V049-4-B1   | SPOOL  |
| 1  | V049-2-131  | SITE PIPING CLEANING PROCEDURE                    | 1  | V049-4-042  | 44 5/8" I.D. FLANGE DETAIL (FLAT FACED)            | 1    | V049-4-147  | 80K HEAD/NOZZLE ASSY.                              | 4  | V049-4-B2A  | SPOOL  |
| 0  | V049-2-132  | SITE VACUUM SURFACE RE-CLEANING PROCEDURE         | 1  | V049-4-043  | PIPE BRIDGE-CORNER STATION                         | 1    | V049-4-148  | 80K SHIELD SUPPORT LUG                             | 5  | V049-4-B2B  | SPOOL  |
| 0  | V049-2-137  | RGA CALIBRATION                                   | 1  | V049-4-045  | BSC RGA/AUX. TURBO CONN. ASSY.                     | 0    | V049-4-158  | BELLOWS 1 1/4" DIA. TIE-ROD ASSY.                  | 4  | V049-4-B3A  | SPOOL  |
| 2  | V049-2-139  | STRUCTURAL CARBON STEEL FABRICATION AND PAINTING  | 1  | V049-4-046  | BSC RGA/AUX TURBO/GAUGE PAIR ASSY.                 | 0    | V049-4-159  | LIFTING LUG  | 4  | V049-4-B4   | SPOOL  |
| 3  | V049-2-144  | SOFTWALL CLEAN ROOM PANELS - HAM                  | 1  | V049-4-047  | 44 5/8" ID x 80" OD FLANGE DETAIL (FLAT FACED)     | 0    | V049-4-161  | 80K PUMP 2" JACKETED LINE                          | 4  | V049-4-B5A  | SPOOL  |
| 3  | V049-2-145  | SOFTWALL CLEAN ROOM PANELS - BSC                  | 3  | V049-4-052  | VESSEL SUPPORT (HAM)                               | 0    | V049-4-163  | GATE VALVE FIN CLAMP                               | 6  | V049-4-B6   | SPOOL  |
| 1  | V049-2-157  | PORTABLE SOFTWALL CLEAN ROOMS                     | 1  | V049-4-053  | EXPANSION JOINT (HAM)                              | 1    | V049-4-164  | 25 L/S ANNULUS TUBING-44" G.V. TYPE I              | 5  | V049-4-B7   | SPOOL  |
| 1  | V049-2-163  | THERMAL INSULATION-PIPING                         | 5  | V049-4-054  | HAM ANNULUS PIPING                                 | 1    | V049-4-165  | ANNULUS TUBING & ION PUMP ASSY. 48" G.V.           | 3  | V049-4-B8   | SPOOL  |
| 1  | V049-2-164  | 80K PUMP RELIEF VALVE SPEC.                       | 2  | V049-4-055  | 60 1/2" ID RING DETAIL REDUCING UNION              | 1    | V049-4-166  | 25 L/S ANNULUS TUBING-44" G.V. TYPE II             | 4  | V049-4-B9   | SPOOL  |
| 0  | V049-2-168  | CONFLAT FLANGE ASSEMBLY PROCEDURE                 | 1  | V049-4-056  | 30 1/2" ID x 68 1/4" OD FLANGE DETAIL (FLAT FACED) | 0    | V049-4-168  | ASSEMBLY BACK TO AIR CART, 50 CFM                  |  |             |  |
| 0  | V049-2-169  | O-RING INSTALLATION AND FLANGE ASSEMBLY PROCEDURE | 3  | V049-4-057  | 30 1/2" ID x 68 1/4" OD FLANGE DETAIL (GROOVED)    | 0    | V049-4-175  | ASSEMBLY BACK TO AIR CART, 100 CFM                 |  |             |  |
| 0  | V049-2-174  | COMPONENT ALIGNMENT PROCEDURE                     | 1  | V049-4-058  | 44 5/8" ID x 60 1/2" ID FLANGE DETAIL              | 1    | V049-4-176  | 14KW REGEN HEATER ASSY.                            |  |             |  |
| 0  | V049-2-175  | VACUUM PUMP FIELD INSTALLATION PROCEDURE          | 4  | V049-4-059  | SHIPPING COVER WITH FILTER UNITS                   | 1    | V049-4-177  | 28KW REGEN HEATER ASSY.                            |  |             |  |
| <b>COMPONENT ACCEPTANCE TESTS PROCEDURES</b> |             |   |  |             |  |      |             |  |  |             |  |
| 0  | V049-2-102  | 80K PUMPS   | 4  | V049-4-060  | 44 1/4" ID FLANGE DETAIL (GROOVED/SLOTTED)         | 0    | V049-4-194  | 12" OD CONFLAT BLANK x 2 3/4" OD CONFLAT           |  |             |  |
| 0  | V049-2-104  | ROUGHING PUMPS                                    | 0  | V049-4-061  | 3/4" OD ELBOW x 2 3/4" C.F. FLG. ANNULUS CONN.     | 0    | V049-4-195  | 12" OD CONFLAT BLANK x 25 KF                       |  |             |  |
| 0  | V049-2-105  | TURBOMOLECULAR PUMPS                              | 2  | V049-4-064  | 60 1/2" ID x 68 1/2" OD BE-3A FLANGE (FLAT)        | 0    | V049-4-196  | 8" OD CONFLAT BLANK x 25 KF                        |  |             |  |
| 0  | V049-2-106  | ION PUMPS   | 2  | V049-4-066  | 60 1/2" ID x 72 1/4" OD OFFSET FLANGE (BE3A)       | 0    | V049-4-197  | 10" OD TUBE BELLOWS-TURBO PUMP                     |  |             |  |
| 0  | V049-2-107  | LARGE GATE VALVES                                 | 3  | V049-4-067  | 61.31" ID x 72 1/4" OD BE-3A FLANGE (GROOVED)      | 2    | V049-4-199  | BSC SHIPPING SKID                                  |  |             |  |
| 0  | V049-2-108  | 6", 10", 14" GATE VALVES                          | 2  | V049-4-068  | 48 1/4" ID x 60 1/2" ID OFFSET FLANGE              | 0    | V049-4-203  | BSC ANNULUS TUBE SUPPORT                           |  |             |  |
| 1  | V049-2-109  | CLEAN AIR SUPPLIES                                | 1  | V049-4-070  | 48.81 ID x 68 1/4" OD FLANGE DETAIL (FLAT FACED)   | 0    | V049-4-204  | BSC AIR FILTER ASSY.                               |  |             |  |
|  |             |   | 0  | V049-4-071  | 48.81 ID x 80 OD FLANGE DETAIL (FLAT FACED)        | 0    | V049-4-206  | HAM ANNULUS TUBING SHIPPING SUPPORT                |  |             |  |
|  |             |   | 1  | V049-4-072  | PS-1 PIPE SUPPORT TEE POST (LN2 PIPING)            | 0    | V049-4-302  | BSC TEST/SHIP ASSY (TWO DOORS)                     |  |             |  |
|  |             |   | 1  | V049-4-073  | PS-2 PIPE SUPPORT                                  | 0    | V049-4-303  | BSC TEST/SHIP ASSY (THREE DOORS)                   |  |             |  |
|  |             |   | 1  | V049-4-074  | PS-3 PIPE SUPPORT TEE POST                         | 0    | V049-4-304  | BSC TEST/SHIP ASSY (NO DOORS)                      |  |             |  |
|  |             |   | 2  | V049-4-075  | PS-4 PIPE/ELECTRICAL SUPPORT                       | 0    | V049-4-305  | BSC TEST/SHIP ASSY (ONE DOOR)                      |  |             |  |
|  |             |   | 0  | V049-4-076  | PS-5 PIPE SUPPORT @ 80K LONG PUMP                  | 4    | V049-5-001  | EQUIPMENT ARR'T. PLAN, CORNER STA. WA (SHT 1 OF 2) |  |             |  |
|  |             |   | 3  | V049-4-077  | 75 L/S ION PUMP/MANIFOLDS                          | 4    | V049-5-001  | EQUIPMENT ARR'T. ELEVATION, (SHT. 2 OF 2)          |  |             |  |
|  |             |   | 2  | V049-4-078  | 25 L/S ION PUMP/MANIFOLDS                          | 2    | V049-5-002  | EQUIPMENT ARR'T. ISO, CORNER STA. WA               |  |             |  |
|  |             |   | 1  | V049-4-079  | 48 1/4" ID x 68 1/4" OD FLANGE DETAIL              | 4    | V049-5-004  | EQUIPMENT ARR'T. RIGHT MID STA. WA                 |  |             |  |
|  |             |   | 1  | V049-4-080  | SHIPPING COVER ASSY.- WITHOUT FILTER ASSY.         | 4    | V049-5-005  | EQUIPMENT ARR'T. RIGHT END STA. WA                 |  |             |  |
|  |             |   | 1  | V049-4-081  | 48 1/4" ID FLANGE DETAIL (GROOVED/SLOTTED)         | 4    | V049-5-006  | EQUIPMENT ARR'T. LEFT MID STA. WA                  |  |             |  |
|  |             |   | 0  | V049-4-082  | PS-6 PIPE SUPPORTS @ BACKING PUMPS                 | 4    | V049-5-007  | EQUIPMENT ARR'T. LEFT END STA. WA                  |  |             |  |
|  |             |   | 0  | V049-4-087  | 60 1/2" ID x 80" OD FLANGE DETAIL (FLAT FACED)     | 2    | V049-5-010  | EQUIPMENT ARR'T. ISO, RIGHT MID STA. WA            |  |             |  |
|  |             |   | 2  | V049-4-090  | 80K PUMP RESERVOIR-SHORT RIGHT (3 SHTS.)           | 2    | V049-5-011  | EQUIPMENT ARR'T. ISO, RIGHT END STA. WA            |  |             |  |

\* = DRAWINGS ADDED/REVISED SINCE MARCH 1997

|   |   |  |                                     |      |    |         |      |          |     |             |      |      |             |  |  |  |  |
|---|---|--|-------------------------------------|------|----|---------|------|----------|-----|-------------|------|------|-------------|--|--|--|--|
| <p><b>PROPRIETARY AND CONFIDENTIAL</b></p> <p>THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION BELONGING TO PROCESS SYSTEMS INTERNATIONAL, INC. OR ITS AFFILIATED COMPANIES AND SHALL BE USED ONLY FOR THE PURPOSE FOR WHICH IT WAS SUPPLIED. IT SHALL NOT BE COPIED, REPRODUCED OR OTHERWISE USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN CONSENT OF PROCESS SYSTEMS INTERNATIONAL, INC. AND SHALL BE RETURNED UPON REQUEST.</p> | <p><b>UNLESS OTHERWISE SPECIFIED</b></p> <p>DIMENSIONS ARE IN INCHES</p> <p>TOLERANCES:</p> <p>FRACTIONS: ±0.005</p> <p>DECIMALS: ±0.005</p> <p>ANGLES: ±0.005</p> <p>THREE PLACE DECIMALS: ±0.005</p> <p>FURNISHED SURFACE FINISH: UNLESS OTHERWISE SPECIFIED</p> <p>DO NOT SCALE THIS DRAWING</p> | <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>ISSUED FOR FDR UPDATE/ CONSTRUCTION</td> <td>0</td> <td>DA</td> <td>6/27/97</td> <td>0365</td> </tr> <tr> <td>USED ON:</td> <td>REV</td> <td>DESCRIPTION</td> <td>CHKD</td> <td>DRWN</td> </tr> <tr> <td>NEXT ASS'Y:</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> | ISSUED FOR FDR UPDATE/ CONSTRUCTION | 0    | DA | 6/27/97 | 0365 | USED ON: | REV | DESCRIPTION | CHKD | DRWN | NEXT ASS'Y: |  |  |  |  |
| ISSUED FOR FDR UPDATE/ CONSTRUCTION   | 0   | DA   | 6/27/97                             | 0365 |    |         |      |          |     |             |      |      |             |  |  |  |  |
| USED ON:  | REV   | DESCRIPTION  | CHKD                                | DRWN |    |         |      |          |     |             |      |      |             |  |  |  |  |
| NEXT ASS'Y:   |   |  |                                     |      |    |         |      |          |     |             |      |      |             |  |  |  |  |
| <p><b>PROCESS SYSTEMS INTERNATIONAL, INC.</b></p> <p>20 WALDEN DR. WESTBOROUGH, MASSACHUSETTS 01581 USA</p>   |   | <p><b>INSTALLATION DOCUMENT LIST</b></p> <p><b>LIGO VACUUM EQUIPMENT</b></p> <p><b>WASHINGTON SITE</b></p>   |                                     |      |    |         |      |          |     |             |      |      |             |  |  |  |  |
| <p>DWG. NO. DESCRIPTION REFERENCE DRAWINGS</p>  |   | <p>SCALE: NONE SHEET: 1 OF 1</p>   |                                     |      |    |         |      |          |     |             |      |      |             |  |  |  |  |