

P/N:D1000124-v1

LIGO TEST RESULTS

S/N		DATE	CHECK OK OHM TAB Q1,2	CHECK OK +24 VOLT CURRENT	CHECK OK -24 VOLT CURRENT	CHECK OK +17 VOLT CURRENT	CHECK OK -17 VOLT CURRENT	RECORD TP1 +17V	RECORD TP2 -17V	RECORD TP5 +5V	RECORD TP6 -15V	RECORD TP7 +24V	RECORD TP9 -24V	RECORD TP11 +15V	RECORD TP12 +VREF	RECORD TP13 -VREF	CHECK OK TP14 FP LED ON?	CHECK OK TP12 NOISE	CHECK OK TP13 NOISE	CHECK OK TP11 NOISE	CHECK OK TP6 NOISE	MON1 13 DBM IN POWER	MON1 13 DBM VOLTS	MON1 13 DBM MEAS PWR	MON1 10 DBM IN POWER	MON1 10 DBM VOLTS
s1000	593	10/1/2010	X	X	X	X	X	17.02	-17.02	5.08	-15.01	24.10	-24.08	15.02	10.01	-10.01	3.60	X	X	X	X	12.20	0.78	13.06	9.20	0.86
s1000	594	10/1/2010	X	X	X	X	X	17.10	-17.10	5.10	-15.01	24.02	-24.07	15.01	10.01	-10.00	3.60	X	X	X	X	12.20	0.77	13.01	9.20	0.84
s1000	595	10/1/2010	X	X	X	X	X	17.10	-17.10	5.10	-15.01	24.03	-24.08	15.01	10.00	-10.00	3.60	X	X	X	X	12.20	0.77	13.05	9.20	0.85
s1000	596	10/1/2010	X	X	X	X	X	17.10	-17.10	5.10	-15.01	24.02	-24.08	15.01	10.00	-10.00	3.62	X	X	X	X	12.20	0.76	13.00	9.20	0.84
s1000	597	10/1/2010	X	X	X	X	X	17.10	-17.10	5.10	-15.01	24.14	-24.07	15.02	10.01	-10.00	3.63	X	X	X	X	12.20	0.79	13.02	9.20	0.87
s1000	598	10/6/2010	X	X	X	X	X	17.08	-17.08	5.10	-15.01	24.08	-24.06	15.02	10.01	-10.00	3.61	X	X	X	X	12.20	0.78	13.01	9.20	0.86
s1000	599	10/6/2010	X	X	X	X	X	17.06	17.07	5.10	-15.01	24.09	-24.06	15.00	10.01	-10.00	3.70	X	X	X	X	12.20	0.77	13.06	9.20	0.85
s1000	600	10/6/2010	X	X	X	X	X	17.07	-17.06	5.09	-15.01	24.10	-24.07	15.01	10.01	-10.00	3.60	X	X	X	X	12.20	0.78	13.01	9.10	0.86
s1000	601	10/6/2010	X	X	X	X	X	17.07	-17.06	5.12	-15.01	24.10	-24.06	15.02	10.01	-10.00	3.62	X	X	X	X	12.10	0.77	12.96	9.20	0.85
s1000	602	10/6/2010	X	X	X	X	X	17.07	-17.06	5.08	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.69	X	X	X	X	12.00	0.77	12.99	9.10	0.84
s1000	603	10/6/2010	X	X	X	X	X	17.07	-17.06	5.08	-15.01	24.01	-24.07	15.02	10.01	-10.01	3.60	X	X	X	X	12.10	0.78	12.99	9.10	0.86
s1000	604	10/6/2010	X	X	X	X	X	17.06	-17.05	5.08	-15.00	24.10	-24.07	15.01	10.00	-10.00	3.59	X	X	X	X	12.10	0.78	12.95	9.20	0.86
s1000	605	10/6/2010	X	X	X	X	X	17.07	-17.06	5.08	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.61	X	X	X	X	12.20	0.78	13.04	9.20	0.85
s1000	606	10/6/2010	X	X	X	X	X	17.06	-17.05	5.08	-15.01	24.10	-24.06	15.02	10.01	-10.00	3.60	X	X	X	X	12.20	0.77	13.02	9.20	0.85
s1000	607	10/6/2010	X	X	X	X	X	17.06	-17.05	5.08	-15.01	24.10	-24.06	15.01	10.00	-10.00	3.61	X	X	X	X	12.10	0.79	12.96	9.10	0.87
s1000	608	10/6/2010	X	X	X	X	X	17.06	-17.05	5.10	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.62	X	X	X	X	12.10	0.77	13.04	9.10	0.85
s1000	609	10/7/2010	X	X	X	X	X	17.07	-17.05	5.08	-15.01	24.10	-24.08	15.01	10.01	-10.01	3.56	X	X	X	X	12.10	0.77	12.97	9.10	0.85
s1000	610	10/7/2010	X	X	X	X	X	17.06	-17.05	5.08	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.62	X	X	X	X	12.10	0.77	13.05	9.10	0.85
s1000	611	10/7/2010	X	X	X	X	X	17.06	-17.05	5.07	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.69	X	X	X	X	12.10	0.78	12.96	9.20	0.86
s1000	612	10/7/2010	X	X	X	X	X	17.05	-17.05	5.07	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.59	X	X	X	X	12.20	0.78	13.01	9.20	0.86
s1000	613	10/7/2010	X	X	X	X	X	17.06	-17.05	5.07	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.62	X	X	X	X	12.10	0.78	13.04	9.10	0.86
s1000	614	10/7/2010	X	X	X	X	X	17.05	-17.05	5.10	-15.01	24.10	24.07	15.02	10.01	-10.01	3.57	X	X	X	X	12.10	0.77	12.96	9.20	0.85
s1000	615	10/7/2010	X	X	X	X	X	17.06	-17.05	5.07	-15.01	24.10	-24.07	15.02	10.01	-10.01	3.57	X	X	X	X	12.30	0.78	13.05	9.30	0.85
s1000	616	10/7/2010	X	X	X	X	X	17.06	-17.05	5.11	-15.01	24.11	-24.07	15.02	10.01	-10.00	3.69	X	X	X	X	12.10	0.80	12.99	9.10	0.87
s1000	617	10/7/2010	X	X	X	X	X	17.06	-17.05	5.12	-15.01	24.10	-24.07	15.02	10.01	-10.01	3.60	X	X	X	X	12.20	0.79	13.00	9.20	0.87
s1000	618	10/7/2010	X	X	X	X	X	17.06	-17.05	5.08	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.59	X	X	X	X	12.10	0.79	13.01	9.10	0.87
s1000	619	10/8/2010	X	X	X	X	X	17.06	-17.05	5.10	-15.00	24.11	-24.08	15.01	10.01	-10.00	3.56	X	X	X	X	12.20	0.77	13.01	9.20	0.85
s1000	620	10/8/2010	X	X	X	X	X	17.06	-17.04	5.11	-15.01	24.11	-24.07	15.02	10.01	-10.00	3.64	X	X	X	X	12.20	0.77	13.00	9.20	0.85
s1000	621	10/8/2010	X	X	X	X	X	17.06	-17.04	5.07	-15.01	24.10	-24.07	15.02	10.01	-10.01	3.60	X	X	X	X	12.10	0.77	13.00	9.10	0.85
s1000	622	10/8/2010	X	X	X	X	X	17.05	-17.05	5.10	-15.01	21.11	-24.07	15.01	10.00	-10.00	3.61	X	X	X	X	12.20	0.78	13.02	9.20	0.86
s1000	623	10/8/2010	X	X	X	X	X	17.06	-17.05	5.10	-15.01	24.11	-24.07	15.02	10.01	-10.00	3.59	X	X	X	X	12.20	0.79	13.02	9.20	0.86
s1000	624	10/8/2010	X	X	X	X	X	17.06	-17.04	5.10	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.63	X	X	X	X	12.20	0.77	13.00	9.20	0.84

P/N:D1000124V1

LIGO TEST RESULTS

S/N		MON1 10 DBM MEAS PWR	MON1 7 DBM IN POWER	MON1 7 DBM VOLTS	MON1 7 DBM MEAS PWR	MON1 0 DBM IN POWER	MON1 0 DBM VOLTS	MON1 0 DBM MEAS PWR	MON1 -10 DBM IN POWER	MON1 -10 DBM VOLTS	MON1 -10 DBM MEAS PWR	MON1 -20 DBM IN POWER	MON1 -20 DBM VOLTS	MON1 -20 DBM MEAS PWR	OUTPUT POWER OUT 1	OUTPUT POWER OUT 2	OUTPUT POWER OUT 3	OUTPUT POWER OUT 4	OUTPUT POWER OUT 5	OUTPUT POWER OUT 6	OUTPUT POWER OUT 7	OUTPUT POWER OUT 8	J2 NOISE Offset 10 HZ RF OSC	J2 NOISE Offset 10 HZ MIT AMP	J2 NOISE Offset 100 HZ RF OSC	J2 NOISE Offset 100 HZ MIT AMP
s1000	593	10.03	6.20	0.94	7.08	-0.80	1.11	-0.01	-10.70	1.36	-10.03	-20.70	1.61	20.04	13.05	13.05	13.04	13.04	13.04	13.04	13.05	13.04	-105.00	-133.00	-118.00	-145.00
s1000	594	9.99	6.20	0.93	6.96	-0.70	1.09	0.05	-10.70	1.34	-10.08	-20.70	1.58	-20.00	13.03	13.02	13.03	13.02	13.02	13.02	13.02	13.02	-105.00	-134.00	-118.00	-146.00
s1000	595	10.03	6.20	0.93	7.00	-0.80	1.10	-0.02	-10.70	1.35	-10.04	-20.70	1.58	-20.04	13.06	13.07	13.06	13.05	13.06	13.06	13.06	13.06	-105.00	-132.00	-118.00	-144.00
s1000	596	9.98	6.20	0.93	6.95	-0.70	1.10	0.05	-10.60	1.35	-10.03	-20.60	1.59	-20.00	13.02	13.02	13.01	13.01	13.01	13.01	13.01	13.01	-105.00	-133.00	-118.00	-145.00
s1000	597	10.00	6.20	0.95	6.97	-0.80	1.12	-0.04	-1.06	1.37	-10.01	-20.60	1.61	-19.98	13.03	13.02	13.03	13.02	13.03	13.03	13.03	13.04	-105.00	-134.00	-118.00	-145.00
s1000	598	9.99	6.20	0.94	6.96	-0.70	1.11	0.05	-10.60	1.36	-10.03	-20.60	1.60	-20.00	13.03	13.02	13.02	13.03	13.02	13.03	13.02	13.02	-105.00	-134.00	-118.00	-145.00
s1000	599	10.03	6.20	0.92	7.00	-0.80	1.10	-0.02	-10.70	1.34	-10.04	-20.70	1.58	-20.04	13.08	13.07	13.07	13.07	13.07	13.07	13.07	13.07	-105.00	-134.00	-118.00	-147.00
s1000	600	9.96	6.20	0.94	7.04	-0.80	1.11	0.03	-10.70	1.36	-10.00	-20.70	1.60	-20.00	13.01	13.01	13.01	13.01	13.00	13.00	13.00	13.00	-105.00	-133.00	-118.00	-146.00
s1000	601	10.04	6.20	0.93	7.01	-0.80	1.11	-0.01	-10.70	1.35	-10.03	-20.70	1.60	-20.03	13.08	13.08	13.08	13.08	13.08	13.08	13.08	13.08	-105.00	-131.00	-118.00	-145.00
s1000	602	10.05	6.10	0.92	7.02	-0.90	1.10	0.02	-10.80	1.36	-10.03	-20.80	1.61	-20.02	13.20	13.20	13.20	13.20	13.20	13.20	13.20	13.20	-105.00	-133.00	-118.00	-145.00
s1000	603	9.97	6.20	0.94	7.05	-0.80	1.11	0.04	-10.70	1.35	-9.99	-20.70	1.59	-19.99	13.12	13.12	13.12	13.12	13.12	13.12	13.12	13.12	-105.00	-133.00	-118.00	-146.00
s1000	604	10.03	6.20	0.94	7.01	-0.80	1.11	-0.01	-10.70	1.37	-10.03	-20.70	1.61	-20.04	13.08	13.08	13.07	13.07	13.07	13.07	13.07	13.07	-105.00	-134.00	-118.00	-144.00
s1000	605	10.01	6.20	0.93	6.98	-0.80	1.11	-0.03	-10.60	1.36	-10.00	-20.60	1.60	-19.99	13.05	13.05	13.05	13.05	13.04	13.04	13.04	13.04	-105.00	-133.00	-118.00	-146.00
s1000	606	9.99	6.20	0.93	6.96	-0.70	1.10	0.05	-10.60	1.34	-10.02	-20.60	1.58	-19.99	13.03	13.03	13.03	13.03	13.03	13.03	13.02	13.02	-105.00	-134.00	-118.00	-146.00
s1000	607	9.98	6.10	0.95	6.95	-0.80	1.12	0.04	-10.70	1.37	-9.98	-20.70	1.61	-19.99	13.13	13.13	13.13	13.13	13.13	13.13	13.13	13.13	-105.00	-131.00	-118.00	-145.00
s1000	608	10.02	6.10	0.93	6.99	-0.90	1.10	-0.01	-10.80	1.35	-10.06	-20.80	1.59	-20.05	13.17	13.17	13.17	13.17	13.16	13.16	13.16	13.16	-105.00	-134.00	-118.00	-147.00
s1000	609	9.95	6.20	0.92	7.03	-0.80	1.10	0.01	-10.70	1.34	-10.01	-20.70	1.58	-20.01	13.10	13.10	13.10	13.10	13.10	13.10	13.10	13.10	-105.00	-133.00	-118.00	-145.00
s1000	610	10.03	6.10	0.93	7.00	-0.90	1.11	0.00	-10.80	1.36	-10.05	-20.80	1.60	-20.04	13.18	13.18	13.18	13.18	13.18	13.19	13.18	13.19	-105.00	-134.00	-118.00	-146.00
s1000	611	10.05	6.20	0.93	7.02	-0.80	1.11	0.00	-10.70	1.35	-10.02	-20.70	1.59	-20.02	13.09	13.09	13.09	13.09	13.08	13.08	13.08	13.08	-105.00	-133.00	-118.00	-146.00
s1000	612	9.99	6.20	0.94	6.69	-0.70	1.11	0.05	-10.60	1.36	-10.03	-20.60	1.60	-19.99	13.02	13.03	13.03	13.03	13.03	13.03	13.03	13.03	-105.00	-134.00	-118.00	-147.00
s1000	613	10.02	6.10	0.94	7.00	-0.90	1.12	-0.01	-10.80	1.37	-10.06	-20.80	1.61	-20.05	13.17	13.17	13.17	13.17	13.16	13.16	13.16	13.16	-105.00	-135.00	-118.00	-145.00
s1000	614	10.03	6.20	0.93	7.00	-0.80	1.10	-0.01	-10.70	1.35	-10.03	-20.70	1.59	-20.04	13.08	13.08	13.07	13.07	13.06	13.06	13.07	13.06	-105.00	-133.00	-118.00	-146.00
s1000	615	10.03	6.30	0.93	7.02	-0.70	1.11	-0.02	-10.50	1.35	-9.99	-20.50	1.59	-19.95	12.96	12.96	12.96	12.96	12.95	12.95	12.95	12.95	-105.00	-134.00	-118.00	-143.00
s1000	616	9.97	6.20	0.95	7.05	-0.80	1.12	0.03	-10.70	1.37	-9.99	-20.70	1.61	-20.00	13.11	13.11	13.11	13.11	13.10	13.10	13.10	13.10	-105.00	-134.00	-118.00	-145.00
s1000	617	9.97	6.20	0.94	6.94	-0.70	1.12	0.04	-10.60	1.37	-10.04	-20.60	1.61	-20.01	13.01	13.01	13.01	13.01	13.00	13.00	13.00	13.00	-105.00	-134.00	-118.00	-147.00
s1000	618	9.99	6.10	0.94	6.96	-0.80	1.12	0.05	-10.70	1.36	-9.98	-20.70	1.60	-19.98	13.13	13.13	13.13	13.13	13.13	13.13	13.12	13.12	-105.00	-135.00	-118.00	-146.00
s1000	619	9.99	6.20	0.93	6.96	-0.70	1.10	0.05	-10.60	1.35	-10.02	-20.60	1.59	-19.99	13.02	13.02	13.02	13.02	13.02	13.01	13.02	13.01	-105.00	-133.00	-118.00	-145.00
s1000	620	9.98	6.20	0.93	6.95	-0.70	1.10	0.04	-10.60	1.35	-10.03	-20.60	1.60	-20.00	13.02	13.02	13.01	13.02	13.01	13.01	13.01	13.01	-105.00	-133.00	-118.00	-145.00
s1000	621	9.98	6.10	0.93	6.95	-0.80	1.10	0.04	-10.70	1.34	-9.98	-20.70	1.58	-19.98	13.12	13.12	13.12	13.12	13.12	13.12	13.12	13.12	-105.00	-134.00	-118.00	-146.00
s1000	622	9.99	6.20	0.94	6.97	-0.80	1.12	-0.05	-10.60	1.36	-10.02	-20.60	1.60	-19.98	13.03	13.03	13.03	13.03	13.03	13.03	13.03	13.03	-105.00	-132.00	-118.00	-146.00
s1000	623	10.00	6.20	0.94	6.97	-0.80	1.12	-0.05	-10.60	1.36	-10.02	-20.60	1.60	-19.99	13.04	13.04	13.03	13.03	13.03	13.03	13.03	13.03	-105.00	-133.00	-118.00	-147.00
s1000	624	9.97	6.20	0.92	6.95	-0.70	1.09	0.04	-10.60	1.34	-10.03	-20.60	1.58	-20.00	13.00	13.01	13.01	13.01	13.01	13.01	13.01	13.01	-105.00	-133.00	-118.00	-145.00

LIGO TEST RESULTS

S/N		DATE	CHECK OK OHM TAB Q1,2	CHECK OK +24 VOLT CURRENT	CHECK OK -24 VOLT CURRENT	CHECK OK +17 VOLT CURRENT	CHECK OK -17 VOLT CURRENT	RECORD TP1 +17V	RECORD TP2 -17V	RECORD TP5 +5V	RECORD TP6 -15V	RECORD TP7 +24V	RECORD TP9 -24V	RECORD TP11 +15V	RECORD TP12 +VREF	RECORD TP13 -VREF	CHECK OK TP14 FP LED ON?	CHECK OK TP12 NOISE	CHECK OK TP13 NOISE	CHECK OK TP11 NOISE	CHECK OK TP6 NOISE	MON1 13 DBM IN POWER	MON1 13 DBM VOLTS	MON1 13 DBM MEAS PWR	MON1 10 DBM IN POWER	MON1 10 DBM VOLTS
s1000	625	10/8/2010	X	X	X	X	X	17.05	-17.04	5.10	-14.99	24.10	-24.07	15.00	10.00	-9.99	3.59	X	X	X	X	12.10	0.79	13.00	9.10	0.86
s1000	626	10/8/2010	X	X	X	X	X	17.05	-17.05	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.58	X	X	X	X	12.20	0.79	13.03	9.20	0.87
s1000	627	10/8/2010	X	X	X	X	X	17.05	-17.05	5.10	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.61	X	X	X	X	12.20	0.77	13.00	9.20	0.85
s1000	628	10/8/2010	X	X	X	X	X	17.06	-17.05	5.11	-15.01	24.10	-24.07	15.02	10.01	-10.01	3.57	X	X	X	X	12.20	0.79	13.05	9.20	0.86
s1000	629	10/11/2010	X	X	X	X	X	17.05	-17.04	5.08	-15.00	24.11	-24.08	15.01	10.01	-10.00	3.61	X	X	X	X	12.10	0.78	12.96	9.20	0.85
s1000	630	10/11/2010	X	X	X	X	X	17.05	-17.03	5.08	-15.01	24.11	-24.07	15.01	10.01	10.00	3.61	X	X	X	X	12.20	0.81	12.99	9.20	0.89
s1000	631	10/11/2010	X	X	X	X	X	17.05	-17.04	5.08	-15.01	24.11	-24.07	15.02	10.01	-10.00	3.59	X	X	X	X	12.10	0.79	12.96	9.20	0.87
s1000	632	10/11/2010	X	X	X	X	X	17.05	-17.03	5.12	-15.01	24.10	-24.08	15.02	10.01	-10.00	3.60	X	X	X	X	12.10	0.79	12.95	9.20	0.86
s1000	633	10/11/2010	X	X	X	X	X	17.04	-17.04	5.11	-15.01	24.11	-24.07	15.02	10.01	-10.00	3.63	X	X	X	X	12.10	0.79	12.98	9.10	0.87
s1000	634	10/11/2010	X	X	X	X	X	17.04	-17.03	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.61	X	X	X	X	12.20	0.79	13.02	9.20	0.87
s1000	635	10/11/2010	X	X	X	X	X	17.04	-17.04	5.10	-15.01	24.10	-24.07	15.02	10.01	-10.01	3.54	X	X	X	X	12.00	0.78	13.00	9.00	0.86
s1000	636	10/11/2010	X	X	X	X	X	17.04	-17.03	5.08	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.62	X	X	X	X	12.20	0.79	13.00	9.20	0.87
s1000	637	10/11/2010	X	X	X	X	X	17.05	-17.04	5.10	-15.00	24.10	-24.07	15.00	10.00	-9.99	3.61	X	X	X	X	12.10	0.77	12.97	9.20	0.85
s1000	638	10/11/2010	X	X	X	X	X	17.05	-17.04	5.07	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.59	X	X	X	X	12.30	0.77	13.02	9.30	0.85
s1000	639	10/11/2010	X	X	X	X	X	17.05	-17.04	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.62	X	X	X	X	12.10	0.76	12.99	9.10	0.84
s1000	640	10/12/2010	X	X	X	X	X	17.04	-17.03	5.07	-15.01	24.11	-24.07	15.02	10.01	-10.01	3.61	X	X	X	X	12.10	0.79	12.98	9.10	0.87
s1000	641	10/12/2010	X	X	X	X	X	17.04	-17.03	5.07	-15.00	24.10	-24.08	15.00	10.00	-10.00	3.59	X	X	X	X	12.20	0.77	13.04	9.20	0.85
s1000	642	10/12/2010	X	X	X	X	X	17.05	-17.04	5.10	-15.01	24.10	-24.07	15.01	10.01	-10.00	3.58	X	X	X	X	12.10	0.77	13.00	9.10	0.85
s1000	643	10/12/2010	X	X	X	X	X	17.04	-17.04	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.56	X	X	X	X	12.10	0.78	12.98	9.10	0.85
s1000	644	10/12/2010	X	X	X	X	X	17.05	-17.03	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.56	X	X	X	X	12.10	0.77	12.95	9.20	0.85
s1000	645	10/12/2010	X	X	X	X	X	17.04	-17.03	5.08	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.64	X	X	X	X	12.10	0.77	13.02	9.10	0.85
s1000	646	10/12/2010	X	X	X	X	X	17.05	-17.04	5.10	-15.00	24.10	-24.08	15.01	10.00	-10.00	3.61	X	X	X	X	12.20	0.78	13.02	9.20	0.86
s1000	647	10/12/2010	X	X	X	X	X	17.04	-17.07	5.08	-15.02	24.10	-24.07	15.02	10.01	-10.01	3.62	X	X	X	X	12.10	0.77	12.95	9.20	0.85
s1000	648	10/12/2010	X	X	X	X	X	17.04	-17.03	5.08	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.59	X	X	X	X	12.20	0.79	13.02	9.20	0.89
s1000	649	10/12/2010	X	X	X	X	X	17.04	-17.03	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.59	X	X	X	X	12.20	0.79	13.00	9.20	0.87
s1000	650	10/12/2010	X	X	X	X	X	17.05	-17.03	5.08	-15.01	24.10	-24.07	15.01	10.01	-10.00	3.63	X	X	X	X	12.10	0.79	12.98	9.10	0.87
s1000	651	10/12/2010	X	X	X	X	X	17.04	-17.03	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.71	X	X	X	X	12.10	0.76	13.05	9.10	0.84
s1000	652	10/12/2010	X	X	X	X	X	17.05	17.03	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.60	X	X	X	X	12.10	0.79	12.98	9.10	0.87
s1000	653	10/13/2010	X	X	X	X	X	17.05	-17.03	5.10	-15.00	24.10	-24.07	15.01	10.00	-10.00	3.57	X	X	X	X	12.10	0.79	12.95	9.20	0.87
s1000	654	10/13/2010	X	X	X	X	X	17.04	-17.03	5.07	-15.01	24.11	-24.07	15.02	10.00	-10.00	3.68	X	X	X	X	12.10	0.77	13.01	9.10	8.48
s1000	655	10/13/2010	X	X	X	X	X	17.04	-17.03	5.10	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.60	X	X	X	X	12.10	0.76	12.97	9.20	0.83
s1000	656	10/13/2010	X	X	X	X	X	17.04	-17.03	5.09	-15.01	24.11	-24.07	15.02	10.01	-10.00	3.66	X	X	X	X	12.20	0.79	13.01	9.20	0.87
s1000	657	10/13/2010	X	X	X	X	X	17.04	-17.03	5.07	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.75	X	X	X	X	12.20	0.79	13.02	9.20	0.87
s1000	658	10/13/2010	X	X	X	X	X	17.05	-17.03	5.10	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.66	X	X	X	X	12.10	0.80	12.96	9.20	0.87
s1000	659	10/13/2010	X	X	X	X	X	17.05	-17.03	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.62	X	X	X	X	12.10	0.78	13.05	9.10	0.85



LIGO TEST RESULTS

S/N		DATE	CHECK OK OHM TAB Q1,2	CHECK OK +24 VOLT CURRENT	CHECK OK -24 VOLT CURRENT	CHECK OK +17 VOLT CURRENT	CHECK OK -17 VOLT CURRENT	RECORD TP1 +17V	RECORD TP2 -17V	RECORD TP5 +5V	RECORD TP6 -15V	RECORD TP7 +24V	RECORD TP9 -24V	RECORD TP11 +15V	RECORD TP12 +VREF	RECORD TP13 -VREF	CHECK OK TP14 FP LED ON?	CHECK OK TP12 NOISE	CHECK OK TP13 NOISE	CHECK OK TP11 NOISE	CHECK OK TP6 NOISE	MON1 13 DBM IN POWER	MON1 13 DBM VOLTS	MON1 13 DBM MEAS PWR	MON1 10 DBM IN POWER	MON1 10 DBM VOLTS
s1000	660	10/13/2010	X	X	X	X	X	17.05	-17.03	5.07	-15.01	24.10	-24.08	15.02	10.01	-10.00	3.63	X	X	X	X	12.10	0.78	13.02	9.10	0.86
s1000	661	10/13/2010	X	X	X	X	X	17.04	-17.03	5.08	-15.01	24.11	-24.08	15.02	10.01	-10.00	3.61	X	X	X	X	12.20	0.78	13.05	9.20	0.86
s1000	662	10/13/2010	X	X	X	X	X	17.04	-17.03	5.07	-15.01	24.10	-24.07	15.02	10.01	-10.01	3.61	X	X	X	X	12.10	0.79	13.04	9.10	0.87
s1000	663	10/14/2010	X	X	X	X	X	17.04	-17.03	5.07	-15.00	24.10	-24.06	15.01	10.00	-10.00	3.60	X	X	X	X	12.20	0.77	13.06	9.20	0.85
s1000	664	10/14/2010	X	X	X	X	X	17.02	-17.01	5.09	-15.01	24.10	-24.07	15.01	10.01	-10.00	3.62	X	X	X	X	12.20	0.77	13.03	9.20	0.85
s1000	665	10/14/2010	X	X	X	X	X	17.04	-17.03	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.60	X	X	X	X	12.30	0.77	13.00	9.30	0.85
s1000	666	10/14/2010	X	X	X	X	X	17.04	-17.02	5.06	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.58	X	X	X	X	12.10	0.77	12.95	9.20	0.85
s1000	667	10/14/2010	X	X	X	X	X	17.03	-17.02	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.72	X	X	X	X	12.10	0.78	13.00	9.10	0.85
s1000	668	10/14/2010	X	X	X	X	X	17.04	-17.02	5.08	-15.01	24.10	-24.07	15.02	10.00	-10.00	3.63	X	X	X	X	12.20	0.77	13.01	9.20	0.85
s1000	669	10/14/2010	X	X	X	X	X	17.04	-17.02	5.08	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.62	X	X	X	X	12.10	0.77	13.05	9.10	0.85
s1000	670	10/14/2010	X	X	X	X	X	17.03	-17.02	5.08	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.60	X	X	X	X	12.10	0.77	13.03	9.10	0.85
s1000	671	10/14/2010	X	X	X	X	X	17.03	-17.02	5.07	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.60	X	X	X	X	12.10	0.77	12.97	9.20	0.85
s1000	672	10/14/2010	X	X	X	X	X	17.03	-17.03	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.60	X	X	X	X	12.20	0.79	13.04	9.20	0.86
s1000	673	10/15/2010	X	X	X	X	X	17.03	-17.02	5.08	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.60	X	X	X	X	12.10	0.77	13.02	9.10	0.85
s1000	674	10/15/2010	X	X	X	X	X	17.05	-17.04	5.07	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.64	X	X	X	X	12.10	0.78	13.06	9.10	0.86
s1000	675	10/15/2010	X	X	X	X	X	17.05	-17.03	5.07	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.62	X	X	X	X	12.20	0.76	13.05	9.20	0.85
s1000	676	10/15/2010	X	X	X	X	X	17.04	-17.03	5.13	-15.00	24.11	-24.07	15.02	10.00	-10.00	3.56	X	X	X	X	12.20	0.79	13.04	9.20	0.86
s1000	677	10/15/2010	X	X	X	X	X	17.05	-17.03	5.06	-15.01	24.11	-24.07	15.02	10.01	-10.00	3.63	X	X	X	X	12.10	0.77	12.96	9.20	0.85
s1000	678	10/15/2010	X	X	X	X	X	17.04	-17.03	5.09	-15.01	24.11	-24.07	15.02	10.01	-10.00	3.62	X	X	X	X	12.10	0.79	12.97	9.10	0.87
s1000	679	10/15/2010	X	X	X	X	X	17.04	-17.03	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.63	X	X	X	X	12.10	0.78	12.96	9.20	0.86
s1000	680	10/15/2010	X	X	X	X	X	17.05	-17.03	5.09	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.63	X	X	X	X	12.10	0.78	13.02	9.10	0.86
s1000	681	10/18/2010	X	X	X	X	X	17.04	-17.03	5.10	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.60	X	X	X	X	12.20	0.78	13.04	9.20	0.86
s1000	682	10/18/2010	X	X	X	X	X	17.03	-17.03	5.07	-15.01	24.01	-24.07	15.02	10.01	-10.00	3.61	X	X	X	X	12.20	0.78	13.04	9.20	0.86
s1000	683	10/18/2010	X	X	X	X	X	17.04	-17.02	5.09	-15.01	24.11	-24.08	15.02	10.01	-10.00	3.56	X	X	X	X	12.20	0.78	13.04	9.20	0.86
s1000	684	10/18/2010	X	X	X	X	X	17.04	-17.02	5.09	-15.01	24.11	-24.08	15.02	10.00	-10.00	3.60	X	X	X	X	12.20	0.77	13.05	9.20	0.85
s1000	685	10/18/2010	X	X	X	X	X	17.05	-17.02	5.10	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.59	X	X	X	X	12.10	0.76	12.97	9.20	0.85
s1000	686	10/18/2010	X	X	X	X	X	17.04	-17.03	5.09	-15.01	24.10	-24.08	15.02	10.01	-10.00	3.66	X	X	X	X	12.20	0.77	13.04	9.20	0.85
s1000	687	10/18/2010	X	X	X	X	X	17.04	-17.03	5.08	-15.01	24.11	-24.07	15.02	10.01	-10.00	3.58	X	X	X	X	12.20	0.78	13.05	9.20	0.86
s1000	688	10/18/2010	X	X	X	X	X	17.04	-17.03	5.08	-15.01	24.10	-24.07	15.02	10.01	-10.00	3.62	X	X	X	X	12.20	0.80	12.97	9.20	0.88
s1000	689	10/27/2010	X	X	X	X	X	17.16	-17.16	5.07	-15.01	24.11	-24.07	15.01	10.01	-10.00	3.68	X	X	X	X	12.20	0.78	13.02	9.20	0.86
s1000	690	10/27/2010	X	X	X	X	X	17.17	-17.16	5.07	15.01	24.10	-24.07	15.02	10.01	-10.00	3.62	X	X	X	X	12.20	0.77	13.04	9.20	0.85
s1000	691	10/28/2010	X	X	X	X	X	17.17	-17.16	5.08	-15.01	24.10	-24.08	15.02	10.01	-10.00	3.61	X	X	X	X	12.10	0.78	12.95	9.20	0.85
s1000	692	10/28/2010	X	X	X	X	X	17.16	-17.15	5.05	-15.01	24.11	-24.08	15.02	10.01	-10.00	3.64	X	X	X	X	12.10	0.78	13.02	9.20	0.85

