

**aLIGO ISC Optics: 1" High Reflector @ 532nm**

APPROVALS	DATE	RE V	DCN NO.	BY	CHECK	DCC	DATE
AUTHOR: L. BARSOTTI	04-05-2011						
CHECKED:							
APPROVED: P.Fritschel							
DCC RELEASE							

1 Description

1" Ø Flat/Flat high reflectors @ 532nm

2 Material

Fused Silica

3 Dimensions

1"Ø +.000/-.010" X .250" ± .010" tk., Plano / Plano

4 Surface Roughness**Side 1**

Commercial polish

Surface Roughness: <5Å RMS in CA

Surface Quality: 10-5

Side 2

Commercial Polish

Surface Roughness: <5Å RMS in CA

Surface Quality: 40-20

5 Surface Figure**Side 1**

Flat < λ/10 at 632.8 over central 85%

Side 2

Flat < λ/4 at 632.8 over central 85%

6 Coating

Wavelength: 532nm

Angle of incidence: 45°

Side 1

R>99.9% (best effort), both for S and P polarization

Side 2

No AR coating present



SPECIFICATION

aLIGO ISC Optics: 1” High Reflector @ 532nm

Serial numbers and registration marks shall be scribed or etched on the barrel of the optic for in-vacuum use

Coating vendor to provide:

1. Three spectrophotometer graphs of the reflectance and transmittance of the HR coatings; one covering the spectrum from 500nm to 1200nm; the others, with increased sensitivity, showing wavelengths from 900nm to 1100nm and from 500nm to 600nm
2. Spectrophotometer graphs of the reflectance of the AR coating taken as cited above.