DATE DCN# REV. DRAWING TREE # NOTES CONTINUED: SCRIBE, ENGRAVE (A VIBRATORY TOOL MAY BE USED), LASER MARK OR MECHANICALLY STAMP (NO INKS OR DYES) DRAWING PART NUMBER, REVISION (AND VARIANT OR "TYPE" IF APPLICABLE) ON NOTED SURFACE OF PART FOLLOWED ON THE NEXT LINE WITH A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS START AT 001 FOR THE FIRST ARTICLE AND PROCEED CONSECUTIVELY. USE MINIMUM 0.12" HIGH CHARACTERS, UNLESS THE SIZE OF THE PART DICTATES SMALLER CHARACTERS E1500326-x0 03 SEP 2015 SIZE OF THE PART DICTATES SMALLER CHARACTERS. EXAMPLE: DXXXXXXX-VY, TYPE-XX, S/N XXX 6. DIMENSIONAL DETAILS OMITTED DELIBERATELY. FOR FULL DIMENSIONAL DETAILS, REFER TO CAD FILES IN NATIVE STP FORMAT. IF ANY DISCREPANCY EXIST, THE CAD DATA SUPERSEDES AND TAKES PRECEDENCE. VIEW SHOWN ROLLED OUT FLAT 2X 267.0 ARC LENGTH — € OF OPTIC TOP 237.0 247.0 ARC LENGTH ARC LENGTH ─(5.00 TYP.) 130.00 NOTES AND TOLERANCES: (UNLESS OTHERWISE SPECIFIED) CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY 1. INTERPRET DRAWING PER ASME Y14.5-1994.
2. (DELETED)
3. (DELETED)
4. (DELETED) ERM, AU COATING MASK (BARREL) DIMENSIONS ARE IN MILLIMETERS ADVANCED LIGO COC TOLERANCES: .X ± .10 .XX ± .25 DESIGNER DRAFTER E.SANCHEZ 03 SEP 2015 SEE DCC INTERNAL NOTE: MASK DETAIL GENERATED FROM LIGO D0900958-v7. NEXT ASSY MATERIAL CHECKER SEE DCC ANGULAR ± 0.5° μinch APPROVAL SEE DCC SCALE: 1:2 PROJECTION: SEE DCC